BUSTER+PUNCH LONDON





[range. CUSTOM ELECTRICITY.]


BUSTER+PUNCH

LONDON

EUROPEAN CUSTOM ELECTRICITY.]

Buster + Punch's Electricity collection is a one-stop solution that effortlessly ties together entire spaces, homes and contract interiors. The units feature a flat plate and are crowned with our trademark coin screws and diamond-cut knurled knobs and toggles – for unrivalled tactility.


Select from complete solid metal fixtures in white, steel, brass, smoked bronze and black with additional detail kits for customisation. The range is optimised, fully engineered and code approved for European residential and contract applications.



[how. CREATE YOUR OWN CUSTOM SWITCH, DIMMER OR MODULE DESIGNS.]

TOGGLE SWITCHES	3
DIMMERS	7
SOCKETS / SCHUKO TYPE F	10
EU PLATES / HORIZONTAL	14
WALL PLATES / VERTICAL	19
WALL PLATES / NO INFILL	23
SOCKET MODULES	29
MODULES	30
SWITCH MODULES	32
DIMMER MODULES	33
BACKBOXES	34

EXAMPLE 2





BUSTER+PUNCH LONDON

[product. **TOGGLE SWITCHES**

[knurl. CROSS.]	
[range. ELECTRICITY.]	
[born. LONDON.]	

A solid metal toggle switch with diamond-cut knurling. The switch is finished with a solid metal flat plate and our signature coin screws. Available in five different finishes, they can be used in combination with our matching dimmers, sockets and USB outlets






[type. 1G TOGGLE SWITCH.]

[info. MEASUREMENTS.]

90 mm



90 mm

[info. SPECIFICATIONS.]

A 1G toggle switch. The toggle arm is made from solid metal and features our signature, diamond-cut, cross knurl pattern. This switch is 2 way.

[info. SPECIFICATIONS.]

Module Code: CTM-142035 (1 per unit)

Style: On / Off Toggle Switch

10AX 250VAC ONLY

2 way switching (can be controlled from 2 locations)

*Certified for use in UK, Europe and Russia :

UKCA / CE / EAC

[info. CARE INSTRUCTIONS.]


Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note that finishes may age naturally with time and regular use.

[info. FINISH & SKU NUMBERS.]	
[finish.]	[sku.]
White	CTG-141964
Steel	CTG-071967
🏀 Brass	CTG-051966
Smoked Bronze	CTG-091968
Black	CTG-021965

[please. NOTE.]

[type. 2G TOGGLE SWITCH.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

A 1G double toggle switch. The toggle arm is made from solid metal and features our signature, diamond-cut, cross knurl pattern. This switch is 2 way.

[info. SPECIFICATIONS.]

Module Code: CTM-142035 (2 per unit)

Style: On / Off Toggle Switch

10AX 250VAC ONLY

2 way switching (can be controlled from 2 locations)

*Compatible with 2-3 Way switching

*Certified for use in UK, Europe and Russia: CE / EAC

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note that finishes may age naturally with time and regular use.

[info. FINISH & SKU NUMBERS.]	
[sku.]	
CTG-141969	
CTG-071972	
CTG-051971	
CTG-091973	
CTG-021970	

[please. NOTE.]

[type. TOGGLE SWITCH.]

[info. FAQ SHEET.]

CATEGORY	QUESTION	ANSWER
TOGGLE	Do you stock an intermediate (3 way switch)?	Yes, you can select the intermediate switch module in the 'custom plates and modules' option. Intermediate 3 way Toggle Switch (CTM-142037)
TOGGLE	Are your switches suitable for smart homes?	We produce a Single Throw 2-way retractive switch (CTM-142036); it is sprung and sends a momentary signal returning to its original state after being pressed. It's useful in smart home applications because that signal can be programmed to trigger a wide variety of functions.
CUSTOMISE	Can I customise the appearance of my toggle switch?	Our toggle modules are customisable with interchangeable 'detail kits' in five finishes. Refer to our website for options, or contact one of our sales representatives for more information.
CUSTOMISE	I need more than 2 switches in the same location. Do I need to have separate plates?	Aside from our single and double toggle complete products, we supply plates up to 4G with interchangeable modules and detail kits for ultra-flexibility. Please refer to our website for purchasing options, or contact one of our sales representatives for more information.
CUSTOMISE	Can I combine different modules on the same plate?	Our plates are designed to fit a combination of sockets, dimmers and toggles. Please refer to our website for options, or contact one of our sales representatives for more information.
INSTALL	Can I install my toggle myself?	We strongly recommend that our products are always installed by a qualified electrician. Always refer to the safety notices within the instruction manual before attempting any electrical installation.

₽₽


BUSTER+PUNCH

LONDON


[product. DIMMERS


[knurl. CROSS.]	
[range. ELECTRICITY.]	
[born. LONDON.]	

A solid metal dimmer switch with diamond-cut knurling. The switch is finished with a solid metal flat plate and our signature coin screws. Available in five different finishes, they can be used in combination with our matching toggle switches, sockets and USB outlets.



[type. DIMMER MODULE/ 250W LED/ RETRACTIVE MULTI-LOCATION.] [info. MEASUREMENTS.]





[info. SPECIFICATIONS.]

A 1G dimmer switch. Includes matching solid metal dimmer knob with our signature cross-knurl and coin screws.

Retractive switch compatible only, 250W LED (max).

[info. SPECIFICATIONS.]

Module Code: CDM-142038 (1 per unit)

Style: Push ON/OFF rotary dimmer with multi location

dimming via retractive switches.

Input: 240VAC ~ 50Hz

Dimming Type:

Auto Detect Trailing / Leading edge dimming

10-350W: When used with incandescent lamps

3-250W: When used with dimmable LED lamps.

Operating Temperature: 0-55 C Humidity: 10-90% $\mbox{R.H}$.

Certified for use in UK, Europe and Russia: UKCA / CE / EAC

*Not compatible with regular retractive switching


[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note that finishes may age naturally with time and regular use.

[info. FINISH & SKU NUMBERS.]	
[sku.]	
CDR-141974	
CDR-071977	
CDR-051976	
CDR-091978	
CDR-021975	

[please. NOTE.]

[type. DIMMER MODULE / 100W LED / 2 WAY] [info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

A 1G dimmer switch. Includes matching solid metal dimmer knob with our signature cross-knurl and coin screws.

2-3 way switch compatible only, 100w LED (max).

[info. SPECIFICATIONS.]

Module Code: CDM-012405 (1 per unit)

Style: Push ON/OFF rotary dimmer with 2 way switching

Compatible with regular 2-3 Way switching

Input: 250VAC 50Hz

Dimming Type: Trailing edge dimming

10-250W: When used with incandescent lamps

2-100W: When used with dimmable LED lamps.

Operating Temperature: 0 - 55 C Humidity: 10 - 90% R.H.

Certified for use in UK, Europe and Russia: UKCA / CE / EAC

*Not compatible with retractive switching.

[info. CARE INSTRUCTIONS.]

Wipe clean with a dry, non-abrasive microfiber cloth. Avoid use of chemical cleaners. Please note that finishes may age naturally with time and regular use.

[info. FINISH & SKU NUMBERS.]	
[sku.]	
CDR-142385	
CDR-072388	
CDR-052387	
CDR-092389	
CDR-022386	

[please. NOTE.]

BUSTER+PUNCH LONDON


[product. SOCKETS / SCHUKO TYPE F

[knurl. CROSS.]	
[range. ELECTRICITY.]	
[born. LONDON.]	

[finish. WHITE.]

A power outlet finished with a solid metal flat plate and our signature coin screws. Available in five different finishes, they can be used in combination with our matching dimmers and toggle switches.








[type. 1G SCHUKO TYPE F SOCKET .]

[info. MEASUREMENTS.]





[info. SPECIFICATIONS.]

*For white products, module is finished in white. For all other finishes (steel, brass, smoked bronze, black), module is finished in black.

[info. SPECIFICATIONS.]

Module Code: CSM-021896/ CSM-141904 (1 per unit)

Style: Schuko Socket Type F

Outlet: 250 V ~ / 50-60 Hz / 16A

*Certified for use in UK, Europe and Russia: UKCA / CE / EAC

[info. FINISH & SKU NUMBERS.]	
[finish.]	[sku.]
White	CSC-141979
🌑 Steel	CSC-071982
🏀 Brass	CSC-051981
Smoked Bronze	CSC-091983
Black	CSC-021980


[please. NOTE.]

 $\label{eq:discussion} \mathsf{DISCLAIMER}: \mbox{Always consult a trade professional when installing}$ this socket. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[info. CARE INSTRUCTIONS.]

[type. 2G SCHUKO TYPE F SOCKET.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

*For white products, module is finished in white. For all other finishes (steel, brass, smoked bronze, black), module is finished in black.

[info. SPECIFICATIONS.]

Module Code:CSM-021896/ CSM-141904 (2 per unit)

Style: Schuko Socket Type F

Outlet: 250 V ~ / 50-60 Hz / 16A

*Certified for use in UK, Europe and Russia: UKCA / CE / EAC

[info. FINISH & SKU NUMBERS.]	
[finish.]	[sku.]
White	CSC-141984
Steel	CSC-071987
🌍 Brass	CSC-051986
Smoked Bronze	CSC-091988
Black	CSC-021985

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this toggle switch. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[info. CARE INSTRUCTIONS.]

[type. SOCKET.]

[info. FAQ SHEET.]

CATEGORY	QUESTION	ANSWER
CUSTOMISE	Can I customise the appearance of my sockets?	Our plates are customisable with interchangeable 'detail kits' in five finishes. Please refer to our website for colour options.
CUSTOMISE	Can I combine different modules on the same plate?	Our plates are designed to accommodate a combination of modules, from 1G - 4G. Please refer to our website for purchasing options or contact one of our sales representatives for more information.
INSTALL	Can I install my socket myself?	We strongly recommend that our products are always installed by a qualified electrician. Always refer to the safety notices within the instruction manual before attempting any electrical installation.
INSTALL	Will this socket work with my existing wall box?	Please reference the key dimensions of the module and mounting holes when checking compatibility.


BUSTER+PUNCH

LONDON

EU PLATES / HORIZONTAL

[with. INFILLS.]	
[range. ELECTRICITY.]	
[detail. COIN SCREW.]	

EU Plates are made in a variety of finishes with our signature solid metal coin screws. EU plates can be combined with module inserts to suit all your electrical, data, sound & AV needs. Module inserts can be purchased seperately.




[finish. 4G / BLACK.]




[type. 1G WALL PLATE.]

[info. MEASUREMENTS.]







*For white products, module is finished in white. For all other finishes (steel, brass, smoked bronze, black), module is finished in black.

[info. SPECIFICATIONS.]

Each plate fits: up to 2 switches / 1 dimmer.

[info. RECOMMENDED.]

Each plate fits: up to 2 switches / 1 dimmer.

1G back box - depth depending on module insert.

[sku.]
CPL-141989
CPL-071992
CPL-051991
CPL-091993
CPL-021990

[please. NOTE.]

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note that finishes may age naturally with time and regular use.

[type. 2G WALL PLATE.]

[info. MEASUREMENTS.]

*For white products, module is finished in white. For all other finishes (steel, brass, smoked bronze, black), module is finished in black.

[info. SPECIFICATIONS.]

Each plate opening fits up to:

2 switches / 1 dimmer / 1 power / 1 module insert.

[info. RECOMMENDED.]

2G back box - depth depending on module insert.

[info. FINISH & SKU NUMBERS	.]
[finish.]	[sku.]
White	CPL-141994
Steel	CPL-071997
🏀 Brass	CPL-051996
Smoked Bronze	CPL-091998
Black	CPL-021995

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this wall plate. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[info. CARE INSTRUCTIONS.]

[type. 3G WALL PLATE.]

[info. SPECIFICATIONS.]

Each plate opening fits up to 2 switches / 1 dimmer / 1 power / 1 module insert.

*For white products, Socket & data inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. RECOMMENDED.]

3G back box - depth depending on module insert.

info. FINISH & SKU NUMBEI	RS.]
finish.]	[sku.]
White	CPL-141999
Steel	CPL-072002
Brass	CPL-052001
Smoked Bronze	CPL-092003
Black	CPL-022000

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this wall plate. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[info. CARE INSTRUCTIONS.]

[info. MEASUREMENTS.]

90

	_				303	mm		 		 10.7 mm
) mm		\ominus		•			•		•	
										·

[info. SPECIFICATIONS.]

Each plate opening fits up to 2 switches / 1 dimmer / 1 power / 1 module insert.

*For white products, Socket & module inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. RECOMMENDED.]

4G back box - depth depending on module insert.

[info. FINISH & SKU NUMBERS.]	
[finish.]	[sku.]
White	CPL-142004
🌍 Steel	CPL-072007
🏀 Brass	CPL-052006
Smoked Bronze	CPL-092008
Black	CPL-022005

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this wall plate. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[info. CARE INSTRUCTIONS.]


BUSTER+PUNCH

LONDON

WALL PLATES / VERTICAL

[knurl. CROSS.]	
[range. ELECTRICITY.]	
[born. LONDON.]	

EU Plates are made in a variety of finishes with our signature solid metal coin screws. EU plates can be combined with module inserts to suit all your electrical, data, sound ϑ AV needs. Module inserts can be purchased seperately.





[type. 2G WALL PLATE.]

161 mm

10.7 mm

[info. SPECIFICATIONS.]

Each plate opening fits up to 2 switches / 1 dimmer / 1 power / 1 module insert.

*For white products, Socket & module inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. RECOMMENDED.]

2G back box - depth depending on module insert.

[info. FINISH & SKU NUMBERS	.]
[finish.]	[sku.]
White	CPL-142390
Steel	CPL-072393
🏀 Brass	CPL-052392
Smoked Bronze	CPL-092394
Black	CPL-022391


[please. NOTE.]

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note that finishes may age naturally with time and regular use.

[type. 3G WALL PLATE.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

Each plate opening fits up to 2 switches / 1 dimmer / 1 power / 1 module insert.

*For white products, Socket & module inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. RECOMMENDED.]

3G back box - depth depending on module insert.

[info. FINISH & SKU NUMBERS.]	
[finish.]	[sku.]
White	CPL-142395
Steel	CPL-072398
🏀 Brass	CPL-052397
Smoked Bronze	CPL-092399
Black	CPL-022396


[please. NOTE.]

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note that finishes may age naturally with time and regular use.

[type. 4G WALL PLATE.]

[info. MEASUREMENTS.]





303 mm

[info. SPECIFICATIONS.]

Each plate opening fits up to:-2 switches / 1 dimmer / 1 power / 1 module insert.

*For white products, Socket & module inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. RECOMMENDED.]

Each plate opening fits up to:-2 switches / 1 dimmer / 1 power / 1 module insert.

4G back box - depth depending on module insert.

fo. FINISH & SKU NUMBER	S.]
iish.]	[sku.]
White	CPL-142400
Steel	CPL-072403
Brass	CPL-052402
Smoked Bronze	CPL-092404
Black	CPL-022401
Smoked Bronze	CPL-092404

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this wall plate. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[info. CARE INSTRUCTIONS.]

BUSTER+PUNCH

LONDON

WALL PLATES / NO INFILL

[detail. COIN SCREW.]	
[range. ELECTRICITY.]	
[born. LONDON.]	

EU Plates are made in a variety of finishes with our signature solid metal coin screws. EU plates can be combined with module inserts to suit all your electrical, data, sound & AV needs. Module inserts can be purchased seperately.








[type. 1G WALL PLATE / NO INFILL.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

Each plate fits 1 power / 1 module insert.

*For white products, Socket & module inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. RECOMMENDED.]

[info. CARE INSTRUCTIONS.]

1G back box - depth depending on module insert.

[info. FINISH & SKU NUMBERS.]

[finish.]	[sku.]
White	CPL-142009
Steel	CPL-072012
🛞 Brass	CPL-052011
Smoked Bronze	CPL-092013
Black	CPL-022010

[please. NOTE.]


Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note that finishes may age naturally with time and regular use.

[type. 2G WALL PLATE / NO INFILL.]

[info. MEASUREMENTS.]

161 mm







[info. SPECIFICATIONS.]

Each plate fits 1 power / 1 module insert.

*For white products, Socket & module inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. RECOMMENDED.]

Recommended back box: 2G back box - depth depending on module insert.

[info. FINISH & SKU NUMBERS.]
[finish.]	[sku.]
White	CPL-142014
🌑 Steel	CPL-072017
🏀 Brass	CPL-052016
Smoked Bronze	CPL-092018
Black	CPL-022015


[please. NOTE.]

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note that finishes may age naturally with time and regular use.

[type. 3G WALL PLATE / NO INFILL.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

Each plate fits 1 power / 1 module insert.

*For white products, Socket & module inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. SPECIFICATIONS.]

3G back box - depth depending on module insert.

[info. FINISH & SKU NUMBERS.]	
[finish.]	[sku.]
White	CPL-142019
🌍 Steel	CPL-072022
🏀 Brass	CPL-052021
Smoked Bronze	CPL-092023
Black	CPL-022020


[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this wall plate. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[info. CARE INSTRUCTIONS.]

[type. 4G WALL PLATE / NO INFILL.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

Each plate fits 1 power / 1 module insert.

*For white products, Socket & module inserts are finished in white. For all other finishes (steel, brass, smoked bronze, black), inserts are finished in black except for Swiss, Danish and Italian sockets, which are graphite.

[info. SPECIFICATIONS.]

4G back box - depth depending on module insert.

[info. FINISH & SKU NUMBERS.]	
[finish.]	[sku.]
White	CPL-142024
Steel	CPL-072027
🏀 Brass	CPL-052026
Smoked Bronze	CPL-092028
Black	CPL-022025

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this wall plate. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[info. CARE INSTRUCTIONS.]

[type. WALL PLATE.]

[info. FAQ SHEET.]

CATEGORY	QUESTION	ANSWER		
GENERAL	Can I combine different modules on the same plate?	Our plates are designed to accommodate a combination of modules, from 1G - 4G. Please refer to our website for purchasing options or contact one of our sales representatives for more information.		
EU MODULES	What modules do you stock?	We stock the following modules: CTM-142035 Toggle Switch / 2 way CTM-142036 Retractive Toggle Switch / 2 way CDM-012406 Dimmer Module / 120W LED / 2 way CDM-012405 Dimmer Module / 100W LED / 2 way CTM-142037 Intermediate Toggle Switch / 3 way CDM-142038 Dimmer Module / 250W LED / Retractive Multi Location CDM-142039 Dummy Dimmer / 2 way CDM-142040 Intermediate Dummy Dimmer / 3 way CDM-142040 Intermediate Dummy Dimmer / 3 way CDM-142040 Intermediate Type K / White CSM-022032 Danish Socket Type K / Graphite Black CSM-142030 Swiss Socket Type J / Graphite Black CSM-142030 Swiss Socket Type J / Graphite Black CSM-142031 Italian Multi Socket Type F + L / White CSM-022034 Italian Multi Socket Type F + L / Graphite Black CSM-141904 Schuko Socket Type F / Black CSM-141905 France Belgium Socket / White CSM-021896 Schuko Socket Type F / Black CSM-141905 France Belgium Socket Type C + E / Black CXM-141906 USB A+ USB C Quick Charge / White CXM-021899 USB A+ USB C Quick Charge / Black CXM-141907 HDMI / White CXM-021909 Telephone Cat 3 / Mhite CXM-021901 Rel45 / Black CXM-141900 RJ45 / White CXM-021901 RJ45 / Black CXM-141910 TV / White CXM-021901 RJ45 / Black CXM-141910 TV / White CXM-021902 TV / Black CXM-141910 TV / White CXM-021903 Blank / Black		
MODULES	If I can't find the module insert I want in your range what can I do?	Although we have tried to develop a widely compatible plate system, we cannot guarantee compatibility with other 45mm modules on the open market. Please discuss with a sales rep for special requirements		
INSTALL	Will the plates work with my existing wall box?	Please reference the key dimensions of the module and mounting holes when checking compatibility. We always recommend flush mounted wall boxes, which are widely available from major retailers		

₽₽

28

	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 8.3 mm 30 mm	White Graphite	CPL-142024 CSM-022032	DANISH SOCKET MODULE / TYPE K / 45MM Outlet: 250VAC / 50Hz / 16A Certification: DS 60884-2-D1:2017
	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 8.3 mm 23 mm	White Graphite	CSM-142030 CSM-022033	SWISS SOCKET MODULE / TYPE 3 / 45MM Outlet: 250VAC / 50Hz / 16A Certified for use in Europe and Switzerland : CE
	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 8.3 mm 23 mm	White Graphite	CSM-142031 CSM-022034	ITALIAN MULTI SOCKET MODULE / TYPE F +L Outlet: 250VAC / 50Hz / 16A Certified for use in Europe : CE
	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 8.3 mm 35 mm	White Black	CSM-141904 CSM-021896	SCHUKO SOCKET MODULE / TYPE F / 45MM Outlet: 250VAC / 50Hz / 16A Certified for use in: UK, Europe Russia: CE / EAC
	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 8.3 mm 30 mm	White Black	CSM-141905 CSM-021897	FRENCH BELGIAN SOCKET MODULE / TYPE F / 45MM Outlet: 250VAC / 50Hz / 16A\ Certified for use in: UK, Europe Russia: CE / EAC
	_		

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to ageing. Please note that finishes may age naturally with time and regular use.

[please. NOTE.]

	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 29 mm	White	CXM-141907 CXM-021899	HDMI MODULE 45mm HDMI module
45 mm 30 mm	[Finish.] White Black	[SKU.] CXM-141909 CXM-021901	[info. SPECIFICATION .] LAN MODULE / RJ45 / CAT6 Single RJ45 port for Cat 6 systems, standard IDC terminals, colour coded for 568B.
45 mm 33 mm	[Finish.] White Black	[SKU.] CXM-141908 CXM-021900	[info. SPECIFICATION.] TELEPHONE MODULE / RJ11 / CAT 3 Single RJ11 port for CAT 3 systems

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing these modules. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 8.3 mm	White Black	CXM-141911 CXM-021903	BLANK MODULE 45mm blank module
	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 8.3 mm 35 mm 25 PD 00 00 00 00 00 00 00 00 00 00 00 00 00	White	CSM-142030 CXM-021898	USB MODULE / A + C QUICK CHARGE USB Charger Type A + Type C: 5V 1.5A Each Input: 100-250VAC 50/60Hz 0.5A Output: 5VDC 3A, 9VDC 3A, 12VDC 2.5A, 15VDC 2A, 20VDC 1.5A Total output power: 30W Max No-load power consumption: 0.1W Max Operating Temp & humidity: -10~+40 C 20%~90%RH Certified for use in UK, Europe and Russia : UKCA / CE / EAC
	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm 9 mm 20 mm	White	CXM-141910 CXM-021902	TV MODULE / SAT / CABLE TV/SAT - Female Type F Connector Compatible with all Coaxial signal systems.

[please. NOTE.]

[type. SWITCH MODULES.]

[info. SPEC SHEET.]

17.2 mm	23 mm	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm		Black	CTM-142035	TOGGLE SWITCH / 2 WAY On/ Off Toggle Switch 2 Way switching (can be used to control from multiple locations) 250 VAC/ 10 AX Certified for use in UK, Europe and Russia : UKCA / CE / EAC *Not compatible with retractive switching
		[Finish.]	[SKU.]	[info. SPECIFICATION.]
17.2 mm	23 mm	● Black	CTM-142037	INTERMEDIATE TOGGLE SWITCH / 3 WAY On / Off Toggle Switch 3 Way switching (can be controlled from multiple locations) 250 VAC / 10 AX Certified for use in UK, Europe and Russia : UKCA / CE / EAC *Not compatible with retractive switching
17.2 mm	23 mm	[Finish.]	[SKU.]	[info. SPECIFICATION.]
45 mm		Black	CTM-142036	RETRACTIVE TOGGLE SWITCH / SINGLE THROW Single Throw 2 Way Sprung Return On / Off Toggle Switch 2 Way switching (can be controlled from multiple locations) 250 VAC / 10 A Certified for use in UK, Europe and Russia : UKCA / CE / EAC *Not compatible with regular 2-3 way switching
		[Finish.]	[SKU.]	[info. SPECIFICATION.]
		Black	CDM-142039	DIMMER MODULE / DUMMY / 2 WAY Push-On/Off 1-2 way switch in the form of a dimmer module for consistent styling 250VAC 6A Certified for use in UK, Europe and Russia : CE / EAC *Not compatible with retractive switching
 23 mm	24 mm 1 32 mm	[Finish.]	[SKU.]	[info. SPECIFICATION.]
50 mm		Black	CDM-142040	DIMMER MODULE / INTERMEDIATE DUMMY / 3 WAY Push-On/Off 3-way Intermediate switch in the form of a dimmer module for consistent styling 250VAC 6A Certified for use in UK, Europe and Russia : CE / EAC *Not compatible with retractive switching

[please. NOTE.]

			[Finish.]	[SKU.]	[info. SPECIFICATION.]
44 mm	35 mm	40 mm	B lack	CDM-142038	DIMMER MODULE/ 250W LED/ RETRACTIVE MULTI-LOCATION Push ON/OFF rotary dimmer with multi location dimming via retractive switches. Input: 240VAC ~ 50Hz Dimming Type: Auto Detect Trailing / Leading Edge dimming 10-350W: When used with incandescent lamps 3-250W: When used with nicandescent lamps. Operating Temperature: 0-55 C Humidity: 10-90% R.H . Certified for use in UK, Europe and Russia: UKCA / CE / EAC *Not compatible with regular 2-3 way switching
			[Finish.]	[SKU.]	[info. SPECIFICATION.]
44 mm	35 mm	40 mm	● Black	CDM-012405	DIMMER MODULE / 100W LED / 2 WAY Push ON/OFF rotary dimmer with 1-2 way switching Input: 240VAC ~ 50Hz Compatible with regular 2-3 Way switches Dimming Type: Trailing Edge dimming only 10-250W: When used with incandescent lamps 2-100W: When used with incandescent lamps. Operating Temperature: 0-55 C Humidity: 10-90% R.H. Certified for use in UK, Europe and Russia: UKCA / CE / EAC *Not compatible with retractive switching.
	26 mm 24 m	ım _ 32 mm	[Finish.]	[SKU.]	[info. SPECIFICATION.]
48 85			Black	CDM-012406	DIMMER MODULE / 120W LED / 2 WAY Push On/Off rotary dimmer with 1-2 way switching Compatible with regular 2-3 Way switches Preset to Trailing edge dimming Programable to Leading / Trailing edge modes LED 120W Max.Up to : 10 Bulbs/HAL 150W Max./GLS 200W Max. 250VAC / 50Hz Certified for use in UK, Europe and Russia: CE / EAC *Not compatible with retractive switching
	27 mm 24 n	1m 32 mm	[Finish.]	[SKU.]	[info. SPECIFICATION.]
	23 mm 24 m		Black	CDM-142041	DIMMER MODULE / 1-10V / 2 WAY Push On/Off rotary dimmer with 1-2 way switching 0 - 10V or 1- 10V control signal. Compatible with regular 2-3 Way switches For one or multiple high frequency dimmable ballasts up to 20mA. Rated at 250VAC 6A Max. Certified for use in UK, Europe and Russia: CE / EAC *Not compatible with retractive switching

[please. NOTE.]

	[size.]	[SKU.]	[info. SPECIFICATION.]
68 mm 45 mm	1G	CSC-012652	Junction box for cavity walls. Style: EU Plastic Back Box Hole saw diameter 68mm Mounting screws: W16, W25, W42 Operating Temperature: 60°C Fire protection class V0 Blue thermoplastic material PA6 Conforms to relevant CE standards
170	[size.]	[SKU.]	[info. SPECIFICATION.]
139 mm 71 mm 139 mm 71 mm 45 mm	2G	CSC-012653	Junction box for cavity walls. Style: EU Plastic Back Box Hole saw diameter 68mm Mounting screws: W16, W25, W42 Operating Temperature: 60°C Fire protection class V0 Blue thermoplastic material PA6 Conforms to relevant CE standards
210 mm	[size.]	[SKU.]	[info. SPECIFICATION.]
71 mm	3G	CSC-012654	Junction box for cavity walls. Style: EU Plastic Back Box Hole saw diameter 68mm Mounting screws: W16, W25, W42 Operating Temperature: 60°C Fire protection class V0 Blue thermoplastic material PA6 Conforms to relevant CE standards
	[size.]	[SKU.]	[info. SPECIFICATION.]
281 mm	4G	CSC-012655	Junction box for cavity walls. Style: EU Plastic Back Box Hole saw diameter 68mm Mounting screws: W16, W25, W42 Operating Temperature: 60°C Fire protection class V0 Blue thermoplastic material PA6 Conforms to relevant CE standards

[please. NOTE.]



EU ELECTRICITY

COLUMN TO A

Contra States

SALES ENQUIRIES info@busterandpunch.com

FOLLOW US twitter: @busterandpunch instagram: @busterandpunch facebook: busterandpunch

BUSTER + PUNCH / LONDON The Hop Exchange Suites 7-9 24 Southwark Street London, SE1 1TY +44 (0)20 7407 0888

london@busterandpunch.com

BUSTER + PUNCH / STOCKHOLM Artillerigatan 25 114 45 Stockholm +46 (0)76 577 46 50

stockholm@busterandpunch.com

4.8

1